

# Ø35 API 17D HOT STAB PROGRAM



## API 17D, Type B, Ø35 Hot Stab System

Artikkel Nr.	Navn	Pressure Rating Bar	Check Valves	Connection Dimension	Connection Port	Nominal ID
BA1078	Ø35 Single Port HF Stab 5K	345	N/A	1"	BSP	15mm
BA1041	Ø35 Single Port Stab 5K	345	w/check	3/8"	BSP	6mm
PA0371	Ø35 Single Port Stab 10K	690	w/check	3/8"	BSP	6mm
BA1071	Ø35 Single Port Rec. 10K	690	w/check	1/2"	BSP	8mm
BA1072	Ø35 Single Port Pres.Stab 10K	690	N/A	N/A	N/A	N/A
BA1032	Ø35 Single Port Dummy Vented	Vented	N/A	N/A	N/A	4mm
BA1039	Ø35 Dual Port Stab 5K	345	w/check	3/8"	BSP	6mm
PA0270	Ø35 Dual Port Stab 10K	690	w/check	3/8"	BSP	6mm
PA0198	Ø35 Dual Port Stab 20K	1380	w/check	1/4"	AutoClave	4mm
BA1043	Ø35 Dual Port Rec. 10K	690	w/check	1/2"	BSP	8mm
PA0214	Ø35 Dual Port Rec. 20K	1380	w/check	1/4"	AutoClave	4mm
BA1076	Ø35 Dual Port Pres.Stab 10K	690	N/A	N/A	N/A	N/A
PA0360	Ø35 Dual Port Dummy Vented	Vented	N/A	N/A	N/A	4mm
PA0370	Ø35 Quad Port Stab 10K	690	w/check	1/4"	NPT	5,5
BA1058	Ø35 Quad Port Rec. 10K	690	w/check	1/2"	BSP	8mm
BA1074	Ø35 Quad Port Pres.Stab 10K	690	N/A	N/A	N/A	N/A
PA0362	Ø35 Quad Port Dummy Vented	Vented	N/A	N/A	N/A	4mm

# Ø35 API 17D QP HOT STAB



## Example of Ø35

Ø35 Quad Port Stab with integrated flex led and 2 x single acting check valves pr. port.



# FLOW PERFORMANCE API 17D

